

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant :	Carin Widerstrom	Art Unit :	3735
Patent No. :	7,533,668	Examiner :	Joseph F. Weiss, Jr.
Issue Date :	May 19, 2009	Conf. No. :	8003
Serial No. :	09/051,443		
Filed :	April 10, 1998		
Title :	DISPOSABLE INHALER		

Attn.: Certificate of Corrections Branch

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicant hereby requests that a certificate of correction be issued for the above patent in accordance with the attached request.

One or more of the errors sought to be corrected were made by applicant, therefore please apply the \$100 required fee of 37 CFR §1.20(a) together with any other charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: September 10, 2009

/Geoffrey P. Shipsides, Reg. No. 55,617/
Geoffrey P. Shipsides
Reg. No. 55,617

Fish & Richardson P.C.
3200 RBC Plaza
60 South Sixth Street
Minneapolis, Minnesota 55402
Telephone: (612) 335-5070
Facsimile: (612) 288-9696

Staple
Here
Only

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. .: 7,533,668
APPLICATION NO .: 09/051,443
DATED .: MAY 19, 2009
INVENTOR(S) .: CARIN WIDERSTROM

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 20 (Claim 5), please delete "claim 1," and insert --claim 1--therefor.

MAILING ADDRESS OF SENDER:

Geoffrey P. Shippides
Fish & Richardson P.C.
P.O. Box 1022
Minneapolis, Minnesota 55440-1022